

QS control plan 01.04.2026



The changes as of 01.04.2026 and 01.01.2026 are shown in red compared to the QS control plan 01.01.2025

Product	Risk group ¹	Wholesale/Preparation and Processing, one sample per ...t QS purchased produce ⁴	Multimethods	Dithiocarbamates origin third country	Nitrate	Chlormequat / Mepiquat	Dithianon	Ethephon	Phenoxyalkane carboxylic acids (alkaline hydrolysis) Single method only required for positive findings from the multi-method	Matrine (Single method only required for positive findings from the multimethod) ³	Fenbutatin oxide	QAV	Morpholine	Phosphonic acid	Sulphur dioxide (SO ₂)	Heavy metals (Cadmium, Lead, Copper)	Nickel: from 01.07.2025, every 10th sample (always the first and every tenth subsequent sample), using heavy metal testing method	Glyphosate	Diquat / Paraquat	Chlorate/Perchlorate	Additional analysis
1. FRUITS FRESH OR FROZEN; NUTS																					
i) Citrus fruit																					
Grapefruit (Shaddocks, pomelos, sweeties, tangelo, uglı and other hybrids)	2	1600	x						O(2,4-D)	x	O*	O	O*								Recommendation: for every 10th sample *Recommendation: origin third country Obligation: Sampling of each 4th sample after all process steps ² ** Obligation to test for glufosinate: if originating in South Africa
Grapefruit (Shaddocks, pomelos, sweeties, tangelo, uglı and other hybrids) (China, Turkey, South Africa)	5	480	x						O(2,4-D)	x	O*	O	O*								
Oranges	1	2500	x						O(2,4-D)	x	O*	O	O*								Recommendation: for every 10th sample *Recommendation: origin third country Obligation: Sampling of each 4th sample after all process steps ²
Lemons	1	2500	x					O*	O(2,4-D)	x	O*	O	O**								Recommendation: for every 10th sample. **Recommendation: Overseas goods: ethephon at the beginning of the season **Recommendation: origin third country
Lemons (South America)	2	1600	x					O*	O(2,4-D)	x	O*	O	O**								Obligation: Sampling of each 4th sample after all process steps ²
Lemons (Turkey)	6	340	x					O*	O(2,4-D)	x	O*	O	O**								Recommendation: for every 10th sample *Recommendation: origin third country Obligation: Sampling of each 4th sample after all process steps ²
Limes	5	480	x						O(2,4-D)	x	O*	O	O*								Recommendation: for every 10th sample *Recommendation: origin third country Obligation: Sampling of each 4th sample after all process steps ²
Mandarins (clementine, tangerine and other hybrids)	1	2500	x						O(2,4-D)	x	O*	O	O*								Recommendation: for every 10th sample *Recommendation: origin third country Obligation: Sampling of each 4th sample after all process steps ²
Mandarins (clementine, tangerine and other hybrids) (Third countries)	3	875	x						O(2,4-D)	x	O*	O	O*								Recommendation: for every 10th sample *Recommendation: origin third country Obligation: Sampling of each 4th sample after all process steps ²
Other citrus fruits	6	340	x						O(2,4-D)	x	O*	O	O*								Recommendation: for every 10th sample *Recommendation: origin third country Obligation: Sampling of each 4th sample after all process steps ²
ii) Tree nuts and seeds (shelled or unshelled)																					
Almonds	1	2500	x							x											
Brazil nut	1	2500	x							x											
Cashew nut	1	2500	x							x											
Chestnut	1	2500	x							x				x*							Obligation: Sampling after all process steps *Obligation: for origin Italy, France
Chestnut (China, Turkey)	6	340	x							x											
Coconut	1	2500	x							x											
Hazelnut	1	2500	x							x											
Macadamia nut	1	2500	x							x											
Pecans	1	2500	x							x											
Pine nuts	1	2500	x							x											
Pistachio	1	2500	x							x											
Walnut	2	1600	x							x											
Peanut	2	1600	x							x				x*							*Obligation: for each 3rd sample
Other nuts und seeds (shelled or unshelled)	6	340	x							x											
iii) Pome fruit																					
Apple	1	2500	x				x			x											
Apple (Poland , Third countries except New Zealand)	2	1600	x				x			x											
Pear	1	2500	x			x*	x			x											
Pear (Belgium , Spain, Portugal, Third Countries)	2	1600	x			x*	x			x											*Obligation: for each 10th sample
Pear (Germany, Netherlands, Austria)	4	2500	x			x*	x			x											
Quince	6	340	x							x											
Loquat	1	2500	x							x											
Medlar	1	2500	x							x											
Nashi pear	6	340	x			x*	x			x											*Obligation: for each 10th sample
Other pome fruits	6	340	x				x			x											
iv) Stone fruits																					
Apricot	3	875	x	O			x			x											
Apricot (Italy)	4	640	x	O			x			x											
Apricot (Turkey)	6	340	x	O			x			x											
Sweet cherry	4	640	x	O			x			x											

QS control plan 01.04.2026



The changes as of 01.04.2026 and 01.01.2026 are shown in red compared to the QS control plan 01.01.2025

Product	Risk group ¹	Wholesale/Preparation and Processing, one sample per ...t QS purchased produce ⁴	Multimethods	Dithiocarbamates origin third country	Nitrate	Chlormequat / Mepiquat	Dithianon	Ethephon	Phenoxyalkane carboxylic acids (alkaline hydrolysis) Single method only required for positive findings from the multi-method	Matrine (Single method only required for positive findings from the multimethod) ³	Fenbutatin oxide	QAV	Morpholine	Phosphonic acid	Sulphur dioxide (SO ₂)	Heavy metals (Cadmium, Lead, Copper)	Nickel: from 01.07.2025, every 10th sample (always the first and every tenth subsequent sample), using heavy metal testing method	Glyphosate	Diquat / Paraquat	Chlorate/Perchlorate	Additional analysis	
Sweet cherry (Turkey, Chile, Italy, Greece)	6	340	x	o			x			x												
Sour cherry	2	1600	x	o			x	x*		x												*Obligation: for industrial cultivation
Nectarine	2	1600	x	o						x												
Plum (Damson, greengage, mirabelle)	4	640	x	o			x	x*		x												
Plum (Damson, greengage, mirabelle) (Germany)	5	480	x	o			x	x*		x												*Obligation: for industrial cultivation
Peach	1	2500	x	o						x												
Other stone fruits	6	340	x	o			x			x												
v) Berries and small fruit																						
a) Grapes																						
Table grapes green	1	2500	x							x												
Table grapes green (Egypt, Brazil, India, Namibia, Peru, Chile, Greece)	2	1600	x			x*				x												*Obligation: for origin India
Table grapes green (Turkey)	6	340	x							x												
Table grapes blue	2	1600	x			x*		x		x												*Obligation: for origin India
Kiwiberry (mini kiwi)	2	1600	x							x												
b) Strawberries																						
Strawberry (Outdoor)	2	1600	x							x												
Strawberry (Outdoor) (Egypt)	3	875	x							x												
Strawberry (Greenhouse)	2	1600	x							x												
Strawberry (Greenhouse) (Netherlands)	4	2500	x							x												
c) Cane fruit																						
Blackberry	3	875	x							x												
Blackberry (Mexico)	7	170	x							x												
Raspberr	3	875	x							x												
Dewberry (Loganberry)	6	340	x							x												
Other cane fruits	7	170	x							x												
d) Other small fruit and berries																						
Cultivated Blueberry	2	1600	x							x												
Cultivated Blueberry (Spain, Third Countries except Peru)	3	875	x							x												
Cowberry	5	480	x							x												
Cranberry	1	2500	x							x												
Currant (red, black and white)	5	480	x							x												
Gooseberry	4	640	x							x												
Jostaberry	3	875	x							x												
Rose hip	3	875	x							x												
Mulberry	3	875	x							x												
Elderberries (wild rowan berry)	3	875	x							x												
Cape gooseberry; Physalis	2	1600	x							x												
Other small fruits and berries	5	480	x							x												
vi) Miscellaneous fruit																						
a) Edible peel																						
Date	1	2500	x							x												*Obligation: for each 3rd sample
Fig	1	2500	x					x**		x												*Obligation: for each 3rd sample **Obligation: for origin Brazil, for origin Turkey at the beginning of the season until end of August
Table olive	5	480	x							x												
Kumquat	4	640	x					x**		x												**Obligation: at the beginning of the season
Carambola	6	340	x							x												*Obligation: for each 3rd sample
Kaki; Japanese persimmons	2	1600	x					x*		x												*Obligation: for origin Spain at the beginning of the season
Other miscellaneous fruits with edible peel	5	340	x							x												*Obligation: for each 3rd sample
b) Inedible peel, small																						
Kiwi	1	2500	x							x												
Lychee	4	640	x							x												
Maracuja; Passionfruit (Granadilla)	7	170	x							x												
Prickly pear; cactus fruit; pitaya	9	45	x							x												
Other small miscellaneous fruits with inedible peel	9	45	x							x												
c) Inedible peel, large																						
Avocado (incl. Israel)	5	480	x							x												
Avocado (Chile, Peru, Columbia, Third Countries)	7	170	x							x												*Obligation: Cadmium

QS control plan 01.04.2026



The changes as of 01.04.2026 and 01.01.2026 are shown in red compared to the QS control plan 01.01.2025

Product	Risk group ¹	Wholesale/Preparation and Processing; one sample per ...t QS purchased produce ⁴	Multimethods				Phenoxyalkane carboxylic acids (alkaline hydrolysis) Single method only required for positive findings from the multi-method	Matrine (Single method only required for positive findings from the multimethod) ³	Fenbutatin oxide	QAV	Morpholine	Phosphonic acid	Sulphur dioxide (SO ₂)	Heavy metals (Cadmium, Lead, Copper)	Nickel: from 01.07.2025, every 10th sample (always the first and every tenth subsequent sample), using heavy metal testing method	Glyphosate	Diquat / Paraquat	Chlorate/Perchlorate	Additional analysis
			Dithiocarbamates origin third country	Nitrate	Chloromequat / Mepiquat	Dithianon													
Banana	1	2500	x																
Mango	3	875	x																
Mango (Brasil)	4	640	x																
Papaya, Tamarillo	7	170	x																
Pomegranate	4	640	x																
Pomegranate (Turkey)	6	340	x																
Pineapple	1	2500	x																
Bread fruit; Jackfruit	6	340	x																
Cherimoya; Rambutan	6	340	x																
Durian	6	340	x																
Guava	6	340	x																
Other large miscellaneous fruits with inedible peel	7	170	x																

QS control plan 01.04.2026



The changes as of 01.04.2026 and 01.01.2026 are shown in red compared to the QS control plan 01.01.2025

Product	Risk group ¹	Wholesale/Preparation and Processing, one sample per ...t QS purchased produce ⁴	Multimethods	Dithiocarbamates origin third country	Nitrate	Chlormequat / Mepiquat	Dithianon	Ethephon	Phenoxyalkane carboxylic acids (alkaline hydrolysis) Single method only required for positive findings from the multi-method	Matrine (Single method only required for positive findings from the multimethod) ³	Fenbutatin oxide	QAV	Morpholine	Phosphonic acid	Sulphur dioxide (SO ₂)	Heavy metals (Cadmium, Lead, Copper)	Nickel: from 01.07.2025, every 10th sample (always the first and every tenth subsequent sample), using heavy metal testing method	Glyphosate	Diquat / Paraquat	Chlorate/Perchlorate	Additional analysis
2. VEGETABLES FRESH OR FROZEN																					
i) Root and tuber vegetables																					
a) Potatoes																					
Potato	1	2500	x							x							x				
b) Tropical root and tuber vegetables																					
Ginger	4	640	x							x							x				
Cassava (Dasheen, eddoe (Japanese taro), tannia, manioc)	4	640	x							x				x*			x				*Obligation: for each 3rd sample
Sweet potato	1	2500	x							x				x*			x				*Obligation: for each 3rd sample
Sweet potato (Egypt)	4	640	x			x				x				x*			x		x		*Obligation: for each 3rd sample
Yams (Potato bean (yam bean), Mexican yam bean)	4	640	x							x				x*			x				*Obligation: for each 3rd sample
Other tropical root and tuber vegetables	4	640	x							x				x*			x				*Obligation: for each 3rd sample
(c) Other root and tuber vegetables except sugar beet																					
Beetroot	1	2500	x							x				x*		x**	x				*Obligation: for each 3rd sample **Obligation: testing for heavy metals in every 10th sample
Carrot (bunch)	1	2500	x							x				x*			x				*Obligation: for each 3rd sample
Carrot (bulk goods)	1	2500	x							x				x*			x				*Obligation: for each 3rd sample
Celeriac	3	875	x							x						x	x				Obligation: Testing for heavy metals
Horseradish	1	2500	x							x						O	x				
Jerusalem artichoke	1	2500	x							x				x*			x				*Obligation: for each 3rd sample
Parsnip	1	2500	x							x						O	x				
Parsley root	1	2500	x							x							x				
Radish without leaf (Outdoor)	1	2500	x							x							x				
Radish with leaf (Outdoor)	4	640	x							x							x				Obligation: separate analysis of tuber and leaf
Radish without leaf (Greenhouse)	1	2500	x							x							x				
Radish with leaf (Greenhouse)	4	640	x							x							x				Obligation: separate analysis of tuber and leaf
Small radish without leaf (Outdoor)	3	875	x							x							x				
Small radish with leaf (Outdoor)	5	480	x							x							x				Obligation: separate analysis of tuber and leaf
Small Radish without leaf (Greenhouse)	1	2500	x							x							x				
Small Radish with leaf (Greenhouse)	5	480	x							x							x				Obligation: separate analysis of tuber and leaf
Scorzonera	1	2500	x							x				x*		x	x				Obligation: Testing for heavy metals
White Turnip; Turnip; Swedes	1	2500	x							x				x*			x				*Obligation: for each 3rd sample
Other root and tuber vegetables except sugar beet	5	480	x							x				x*			x				*Obligation: for each 3rd sample
ii) Bulb vegetables																					
Garlic	1	2500	x							x							x				
Onions (Silver onions)	1	2500	x							x							x				
Onions	1	2500	x							x						x*	x				*Obligation: testing for heavy metals in every 10th sample
Shallots	1	2500	x							x							x				
Spring onion	1	2500	x							x							x				
Spring onion (Italy; Egypt)	2	1600	x							x							x				
Other bulb vegetables	2	1600	x							x							x				

QS control plan 01.04.2026



The changes as of 01.04.2026 and 01.01.2026 are shown in red compared to the QS control plan 01.01.2025

Product	Risk group ¹	Wholesale/Preparation and Processing, one sample per ...t QS purchased produce ⁴	Multimethods	Dithiocarbamates origin third country	Nitrate	Chlormequat / Mepiquat	Dithianon	Ethephon	Phenoxyalkane carboxylic acids (alkaline hydrolysis) Single method only required for positive findings from the multi-method	Matrine (Single method only required for positive findings from the multimethod) ³	Fenbutatin oxide	QAV	Morpholine	Phosphonic acid	Sulphur dioxide (SO ₂)	Heavy metals (Cadmium, Lead, Copper)	Nickel: from 01.07.2025, every 10th sample (always the first and every tenth subsequent sample), using heavy metal testing method	Glyphosate	Diquat / Paraquat	Chlorate/Perchlorate	Additional analysis
iii) Fruiting vegetables																					
a) Solanaceae																					
Tomato	1	2500	x							x							x			x*	*Obligation: every 4th sample
Tomato (Turkey)	4	640	x							x							x			x*	*Obligation: every 4th sample
Peppers	2	1600	x					x*		x							x			x**	*Obligation: for origin Greece, Spain, Third countries for the winter season (not valid for green peppers)
Peppers (Germany, Spain, Netherlands)	1	2500	x					x*		x							x			x**	**Obligation: every 4th sample
Peppers (Turkey)	6	340	x					x*		x							x			x**	
Chilli peppers	1	2500	x							x							x			x*	*Obligation: every 4th sample
Chilli peppers (Third Countries)	7	170	x							x							x			x*	*Obligation: every 4th sample
Aubergines	1	2500	x							x							x			x*	*Obligation: every 4th sample
Aubergines (Spain)	2	1600	x							x							x			x*	*Obligation: every 4th sample
Aubergines (Third countries except Morocco)	4	640	x							x							x			x*	*Obligation: every 4th sample
Okra; Lady's fingers	9	45	x							x				x*			x				*Obligation: for each 3rd sample
Other Solanaceae	9	45	x							x							x				
b) Cucurbits- edible peel																					
Cucumber	1	2500	x							x							x			x*	*Obligation: every 4th sample
Eucumber (Spain)	2	1600	x							x							x			x*	*Obligation: every 4th sample
Gherkin	1	2500	x							x							x			x*	*Obligation: every 4th sample
Courgette	4	640	x							x							x			x*	*Obligation: every 4th sample
Courgette (Netherlands)	1	2500	x							x							x			x*	*Obligation: every 4th sample
Courgette (Germany, Spain)	2	1600	x							x							x			x*	*Obligation: every 4th sample
Other cucurbits with edible peel	4	640	x							x							x				
c) Cucurbits - inedible peel																					
Melon (Muskmelon, Kiwano)	2	1600	x							x							x				
Melon (Muskmelon, Kiwano) (Costa Rica)	3	875	x							x							x				
Melon (Muskmelon, Kiwano) (Spain)	1	2500	x							x							x				
Squashes (e.g. Spaghetti squash, Halloween squash, Pattypan squash)	1	2500	x							x							x				
Musky gourd (e.g. Butternut)	1	2500	x							x							x				
Pumpkin (giant) (e.g. Hokkaido)	1	2500	x							x							x				
Calabash (e.g. Calabash)	1	2500	x							x							x				
Pumpkin (others)	1	2500	x							x							x				
Water melon	1	2500	x							x							x				
Other cucurbits with inedible peel	3	875	x							x							x				
iv) Brassica vegetables																					
a) Flowering brassica																					
Broccoli	1	2500	x							x							x				
Broccoli (Spain)	3	875	x							x							x				
Cauliflower (romanesco)	2	1600	x							x							x				
Cauliflower (romanesco) (Germany)	3	875	x							x							x				
Other flowering brassica	3	875	x							x							x				
b) Head brassica																					
Brussels sprout; cabbage sprouts	2	1600	x							x							x				*Obligation: for each 3rd sample
Brussels sprout; cabbage sprouts (Germany, Netherlands)	3	875	x							x							x				*Obligation: for each 3rd sample
Red cabbage	1	2500	x							x							x				*Obligation: for each 3rd sample
White cabbage	1	2500	x							x							x				*Obligation: for each 3rd sample
Pointed cabbage	1	2500	x							x							x				*Obligation: for each 3rd sample
Savoy cabbage	4	640	x							x							x				*Obligation: for each 3rd sample
Savoy cabbage (Germany)	5	480	x							x							x				*Obligation: for each 3rd sample
Other head brassica	5	480	x							x							x				*Obligation: for each 3rd sample
c) Leafy brassica																					
Chinese cabbage (Indian (Chinese) mustard, pak choi)	2	1600	x							x							x				
Kale	7	170	x							x							x				
Other leafy brassica	7	170	x							x							x				
d) Kohlrabi																					
Kohlrabi (Outdoor) without leaves	2	1600	x							x							x				
Kohlrabi (Outdoor) without leaves (Spain, Italy)	3	875	x							x							x				x*
Kohlrabi (Outdoor) with leaves	4	640	x							x							x				Obligation: Analysis of tuber and leaf
Kohlrabi (Outdoor) with leaves (Spain, Italy)	4	640	x							x							x				x*
Kohlrabi (Greenhouse) without leaves	2	1600	x							x							x				
Kohlrabi (Greenhouse) with leaves	4	640	x							x							x				Obligation: Analysis of tuber and leaf
v) Leaf vegetables and fresh herbs																					
a) Lettuce and other salad plants including Brassicaceae																					

