

The changes as of 01.01.2026 are shown in red compared to the QS control plan 01.01.2025

Product	Risk group ¹	Wholesale/Preparation and Processing: one sample per ...t QS purchased produce ⁴	Multimethods												Additional analysis			
			Dithiocarbamates origin third country	Nitrate	Chloromequat / Mepiquat	Dithianon	Etephon	Phenoxyalkane carboxylic acids (alkaline hydrolysis) Single method only required for positive findings from the multimethod	Matrine (Single method only required for positive findings from the multimethod) ³	Fenbutatin oxide	QAV	Morpholine	Phophonic acid	Sulphur dioxide (SO ₂)	Heavy metals (Cadmium, Lead, Copper)	Nickel: from 01.07.2025; every 10th sample (always the first and every tenth subsequent sample), using heavy metal testing method	Glyphosate	Diquat / Paraquat
1. FRUITS FRESH OR FROZEN; NUTS																		
i) Citrus fruit																		
Grapefruit (Shaddocks, pomelos, sweeties, tangelo, ugli and other hybrids)	2	1600	x					O(2,4-D)	x	o*	o	o*						
Grapefruit (Shaddocks, pomelos, sweeties, tangelo, ugli and other hybrids) (China, Turkey, South Africa)	5	480	x					O(2,4-D)	x	o*	o	o*						
Oranges	1	2500	x					O(2,4-D)	x	o*	o	o*						
Lemons	1	2500	x					O*	x	o*	o	o**						
<i>Lemons (South America)</i>	2	1600	x					O*	x	o*	o	o**						
Lemons (Turkey)	6	340	x					O*	x	o*	o	o**						
Limes	5	480	x					O(2,4-D)	x	o*	o	o*						
Mandarins (clementine, tangerine and other hybrids)	1	2500	x					O(2,4-D)	x	o*	o	o*						
<i>Mandarins (clementine, tangerine and other hybrids) (Third countries)</i>	3	875	x					O(2,4-D)	x	o*	o	o*						
Other citrus fruits	6	340	x					O(2,4-D)	x	o*	o	o*						
ii) Tree nuts and seeds (shelled or unshelled)																		
Almonds	1	2500	x						x					x				
Brazil nut	1	2500	x						x					x				
Cashew nut	1	2500	x						x					x				
Chestnut	1	2500	x						x			x*		x				
<i>Chestnut (China, Turkey)</i>	6	340	x						x					x				
Coconut	1	2500	x						x					x				
Hazelnut	1	2500	x						x					x				
Macadamia nut	1	2500	x						x					x				
Pecans	1	2500	x						x					x				
Pine nuts	1	2500	x						x					x				
Pistachio	1	2500	x						x					x				
Walnut	2	1600	x						x					x				
Peanut	2	1600	x						x			x*		x			*Obligation: for each 3rd sample	
Other nuts und seeds (shelled or unshelled)	6	340	x						x					x				
iii) Pome fruit																		
Apple	1	2500	x			x			x									
<i>Apple (Poland, Third countries except New Zealand)</i>	2	1600	x			x			x									
Pear	1	2500	x			x*	x			x								
<i>Pear (Belgium, Spain, Portugal, Third Countries)</i>	2	1600	x			x*	x			x							*Obligation: for each 10th sample	
<i>Pear (Germany, Netherlands, Austria)</i>	±	2500	x			x*	x			x*								
Quince	6	340	x			x			x									
Loquat	1	2500	x			x			x									
Medlar	1	2500	x			x			x									
Nashi pear	6	340	x			x*	x			x							*Obligation: for each 10th sample	
Other pome fruits	6	340	x			x			x									
iv) Stone fruits																		
Apricot	3	875	x	o		x			x									
<i>Apricot (Italy)</i>	4	640	x	o		x			x									
Apricot (Turkey)	6	340	x	o		x			x									
Sweet cherry	4	640	x	o		x			x									

The changes as of 01.01.2026 are shown in red compared to the QS control plan 01.01.2025

Product	Risk group ¹	Wholesale/Preparation and Processing: one sample per ... ² QS purchased produce ⁴	Additional analysis										
			Dithiocarbamates origin third country			Multi methods			Phenoxyalkane carboxylic acids (alkaline hydrolysis) Single method only required for positive findings from the multi-method				Matrine (Single method only required for positive findings from the multi-method) ³
			Nitrate	Chloromequat / Mepiquat	Dithianon	Etephon	Fenbutatin oxide	QAV	Morpholine	Phophonic acid	Sulphur dioxide (SO ₂)	Heavy metals (Cadmium, Lead, Copper)	Nickel: from 01.07.2025: every 10th sample (always the first and every tenth subsequent sample), using heavy metal testing method
Sweet cherry (Turkey, Chile, Italy, Greece)	6	340	x	o		x							
Sour cherry	2	1600	x		x	x*							*Obligation: for industrial cultivation
Nectarine	2	1600	x	o		x							
Plum (Damson, greengage, mirabelle)	4	640	x	o	x	x*							
Plum (Damson, greengage, mirabelle) (Germany)	5	480	x	o	x	x*							*Obligation: for industrial cultivation
Peach	1	2500	x	o		x							
Other stone fruits	6	340	x	o		x							
v) Berries and small fruit													
a) Grapes													
Table grapes green	1	2500	x										
Table grapes green (Egypt, Brazil, India, Namibia, Peru, Chile, Greece)	2	1600	x		x*								*Obligation: for origin India
Table grapes green (Turkey)	6	340	x										
Table grapes blue	2	1600	x		x*	x							*Obligation: for origin India
Kiwiberry (mini kiwi)	2	1600	x										
b) Strawberries													
Strawberry (Outdoor)	2	1600	x										
Strawberry (Outdoor) (Egypt)	3	875	x										
Strawberry (Greenhouse)	2	1600	x										
Strawberry (Greenhouse) (Netherlands)	±	2500	*										
c) Cane fruit													
Blackberry	3	875	x										
Blackberry (Mexico)	7	170	x										
Raspberry	3	875	x										
Dewberry (Loganberry)	6	340	x										
Other cane fruits	7	170	x										
d) Other small fruit and berries													
Cultivated Blueberry	2	1600	x										
Cultivated Blueberry (Spain, Third Countries except Peru)	3	875	x										
Cowberry	5	480	x										
Cranberry	1	2500	x				x		x				
Currant (red, black and white)	5	480	x				x						
Gooseberry	4	640	x				x						
Jostaberry	3	875	x				x						
Rose hip	3	875	x				x		x				
Mulberry	3	875	x				x						
Elderberries (wild rowan berry)	3	875	x				x						
Cape gooseberry; Physalis	2	1600	x				x						
Other small fruits and berries	5	480	x				x		x				
vii) Miscellaneous fruit													
a) Edible peel													
Date	1	2500	x				x	x*					*Obligation: for each 3rd sample
Fig	1	2500	x			x**		x*					*Obligation: for each 3rd sample **Obligation: for origin Brazil, for origin Turkey at the beginning of the season until end of August
Table olive	5	480	x				x						
Kumquat	4	640	x		x**		x						**Obligation: at the beginning of the season
Carambola	6	340	x				x	x*					*Obligation: for each 3rd sample
Kaki; Japanese persimmons	2	1600	x		x*		x						*Obligation: for origin Spain at the beginning of the season
Other miscellaneous fruits with edible peel	5	340	x				x	x*					*Obligation: for each 3rd sample
b) Inedible peel, small													
Kiwi	1	2500	x				x						
Lychee	4	640	x				x		x	x			
Maracuja; Passionfruit (Granadilla)	7	170	x				x						
Prickly pear; cactus fruit; pitaya	9	45	x				x		x				
Other small miscellaneous fruits with inedible peel	9	45	x				x		x				
c) Inedible peel, large													
Avocado (incl. Israel)	5	480	x				x			x*			*Obligation: Cadmium
Avocado (Chile, Peru, Colombia; Third Countries)	7	170	x				x		x*				

The changes as of 01.01.2026 are shown in red compared to the QS control plan 01.01.2025

Product	Risk group ¹	Wholesale/Preparation and Processing: one sample per ...t QS purchased produce ⁴	Multimethods										Additional analysis						
			Dithiocarbamates origin third country	Nitrate	Chloromequat / Mepiquat	Dithianon	Etephon	Phenoxyalkane carboxylic acids (alkaline hydrolysis)	Single method only required for positive findings from the multimethod	Matrine (Single method only required for positive findings from the multimethod) ³	Fenbutatin oxide	QAV	Morpholine	Phophonic acid	Sulphur dioxide (SO ₂)	Heavy metals (Cadmium, Lead, Copper)	Nickel: from 01.07.2025; every 10th sample (always the first and every tenth subsequent sample), using heavy metal testing method	Glyphosate	Diquat / Paraquat
Banana	1	2500	x																
Mango	3	875	x																
Mango (Brasil)	4	640	x																
Papaya; Tamarillo	7	170	x																
Pomegranate	4	640	x																
<i>Pomegranate (Turkey)</i>	6	340	x																
Pineapple	1	2500	x				x			x									
Bread fruit; Jackfruit	6	340	x							x									
Cherimoya; Rambutan	6	340	x							x	x								
Durian	6	340	x							x	x								
Guava	6	340	x							x	x								
Other large miscellaneous fruits with inedible peel	7	170	x							x	x								

The changes as of 01.01.2026 are shown in red compared to the QS control plan 01.01.2025

Product	Risk group ¹	Wholesale/Preparation and Processing: one sample per ...t QS purchased produce ⁴	Multimethods												Additional analysis				
			Dithiocarbamates origin third country	Nitrate	Chloromequat / Mepiquat	Dithianon	Etephon	Phenoxyalkane carboxylic acids (alkaline hydrolysis)	Single method only required for positive findings from the multimethod	Matrine (Single method only required for positive findings from the multimethod) ³	Fenbutatin oxide	QAV	Morpholine	Phophonic acid	Sulphur dioxide (SO ₂)	Heavy metals (Cadmium, Lead, Copper)	Nickel: from 01.07.2025: every 10th sample (always the first and every tenth subsequent sample), using heavy metal testing method	Glyphosate	Diquat / Paraquat
2. VEGETABLES FRESH OR FROZEN																			
i) Root and tuber vegetables																			
a) Potatoes																			
Potato	1	2500	x						x						x				
b) Tropical root and tuber vegetables																			
Ginger	4	640	x						x						x				
Cassava (Dasheen, eddoe (Japanese taro), tannia, manioc)	4	640	x						x		x*				x				
Sweet potato	1	2500	x						x		x*				x				
Sweet potato (Egypt)	4	640	x	x					x		x*				x				
Yams (Potato bean (yam bean), Mexican yam bean)	4	640	x						x		x*				x				
Other tropical root and tuber vegetables	4	640	x						x		x*				x				
c) Other root and tuber vegetables except sugar beet																			
Beetroot	1	2500	x						x		x*		x**	x					
Carrot (bunch)	1	2500	x						x		x*				x				
Carrot (bulk goods)	1	2500	x						x		x*				x				
Celeriac	3	875	x						x				x	x					
Horseradish	1	2500	x						x				o	x					
Jerusalem artichoke	1	2500	x						x		x*				x				
Parsnip	1	2500	x						x				o	x					
Parsley root	1	2500	x						x					x					
Radish without leaf (Outdoor)	1	2500	x						x					x					
Radish with leaf (Outdoor)	4	640	x						x					x					
Radish without leaf (Greenhouse)	1	2500	x						x					x					
Radish with leaf (Greenhouse)	4	640	x						x					x					
Small radish without leaf (Outdoor)	3	875	x						x					x					
Small radish with leaf (Outdoor)	5	480	x						x					x					
Small Radish without leaf (Greenhouse)	1	2500	x						x					x					
Small Radish with leaf (Greenhouse)	5	480	x						x					x					
Scorzonera	1	2500	x						x		x*	x	x						
White Turnip; Turnip; Swedes	1	2500	x						x		x*	x	x						
Other root and tuber vegetables except sugar beet	5	480	x						x		x*	x	x						
ii) Bulb vegetables																			
Garlic	1	2500	x						x					x					
Onions (Silver onions)	1	2500	x						x					x					
Onions	1	2500	x						x				x*	x					
Shallots	1	2500	x						x					x					
Spring onion	1	2500	x						x					x					
Spring onion (Italy; Egypt)	2	1600	x						x					x					
Other bulb vegetables	2	1600	x						x					x					

The changes as of 01.01.2026 are shown in red compared to the QS control plan 01.01.2025

Product	Risk group ¹	Wholesale/Preparation and Processing: one sample per ... ² QS purchased produce ⁴	Multimethods												Additional analysis				
			Dithiocarbamates origin third country	Nitrate	Chloromequat / Mepiquat	Dithianon	Etephon	Phenoxyalkane carboxylic acids (alkaline hydrolysis)	Single method only required for positive findings from the multimethod	Matrine (Single method only required for positive findings from the multimethod) ³	Fenbutatin oxide	QAV	Morpholine	Phophonic acid	Sulphur dioxide (SO ₂)	Heavy metals (Cadmium, Lead, Copper)	Nickel: from 01.07.2025: every 10th sample (always the first and every tenth subsequent sample), using heavy metal testing method	Glyphosate	Diquat / Paraquat
iii) Fruiting vegetables																			
a) Solanaceae																			
Tomato	1	2500	x						x						x	x*	*Obligation: every 4th sample		
<i>Tomato (Turkey)</i>	4	640	x						x						x	x*	*Obligation: every 4th sample		
Peppers	2	1600	x					x*	x						x	x**	*Obligation: for origin Greece, Spain, Third countries for the winter season (not valid for green peppers)		
<i>Peppers (Germany, Spain, Netherlands)</i>	1	2500	x			x*		x	x						x	x**	**Obligation: every 4th sample		
<i>Peppers (Turkey)</i>	6	340	x			x*		x	x						x	x**			
Chilli peppers	1	2500	x					x							x	x*	*Obligation: every 4th sample		
<i>Chilli peppers (Third Countries)</i>	7	170	x					x							x	x*	*Obligation: every 4th sample		
Aubergines	1	2500	x					x							x	x*	*Obligation: every 4th sample		
<i>Aubergines (Spain)</i>	2	1600	x					x							x	x*	*Obligation: every 4th sample		
<i>Aubergines (Third countries except Morocco)</i>	4	640	x					x							x	x*	*Obligation: every 4th sample		
Okra; Lady's fingers	9	45	x					x		x*					x		*Obligation: for each 3rd sample		
Other Solanaceae	9	45	x					x							x				
b) Cucurbits- edible peel																			
Cucumber	1	2500	x					x							x	x*	*Obligation: every 4th sample		
<i>Cucumber (Spain)</i>	2	1600	x					x							x	x*	*Obligation: every 4th sample		
Gherkin	1	2500	x					x							x	x*	*Obligation: every 4th sample		
Courgette	4	640	x					x							x	x*	*Obligation: every 4th sample		
<i>Courgette (Netherland)</i>	1	2500	x					x							x	x*	*Obligation: every 4th sample		
<i>Courgette (Germany, Spain)</i>	2	1600	x					x							x	x*	*Obligation: every 4th sample		
Other cucurbits with edible peel	4	640	x					x							x				
c) Cucurbits - inedible peel																			
Melon (Muskmelon, Kiwano)	2	1600	x					x							x	x*	*Obligation: every 4th sample		
<i>Melon (Muskmelon, Kiwano) (Costa Rica)</i>	3	875	x					x							x	x*	*Obligation: every 4th sample		
<i>Melon (Muskmelon, Kiwano) (Spain)</i>	1	2500	x					x							x	x*	*Obligation: every 4th sample		
Squashes (e.g. Spaghetti squash, Halloween squash, Pattypan squash)	1	2500	x					x							x	x*	*Obligation: every 4th sample		
Musky gourd (e.g. Butternut)	1	2500	x					x							x	x*	*Obligation: every 4th sample		
Pumpkin (giant) (e.g. Hokkaido)	1	2500	x					x							x	x*	*Obligation: every 4th sample		
Calabash (e.g. Calabash)	1	2500	x					x							x	x*	*Obligation: every 4th sample		
Pumpkin (others)	1	2500	x					x							x	x*	*Obligation: every 4th sample		
Water melon	1	2500	x					x							x	x*	*Obligation: every 4th sample		
Other cucurbits with inedible peel	3	875	x					x							x				
iv) Brassica vegetables																			
a) Flowering brassica																			
Broccoli	1	2500	x					x							x	x*	*Obligation: every 4th sample		
<i>Broccoli (Spain)</i>	3	875	x					x							x	x*	*Obligation: every 4th sample		
Cauliflower (romanesco)	2	1600	x					x							x	x*	*Obligation: every 4th sample		
<i>Cauliflower (romanesco) (Germany)</i>	3	875	x					x							x	x*	*Obligation: every 4th sample		
Other flowering brassica	3	875	x					x							x				
b) Head brassica																			
Brussels sprout; cabbage sprouts	2	1600	x					x		x*					x	x*	*Obligation: for each 3rd sample		
<i>Brussels sprout; cabbage sprouts (Germany, Netherlands)</i>	3	875	x					x		x*					x	x*	*Obligation: for each 3rd sample		
Red cabbage	1	2500	x					x		x*					x	x*	*Obligation: for each 3rd sample		
White cabbage	1	2500	x					x		x*					x	x*	*Obligation: for each 3rd sample		
Pointed cabbage	1	2500	x					x		x*					x	x*	*Obligation: for each 3rd sample		
Savoy cabbage	4	640	x					x		x*					x	x*	*Obligation: for each 3rd sample		
<i>Savoy cabbage (Germany)</i>	5	480	x					x		x*					x	x*	*Obligation: for each 3rd sample		
Other head brassica	5	480	x					x		x*					x	x*	*Obligation: for each 3rd sample		
c) Leafy brassica																			
Chinese cabbage (Indian (Chinese) mustard, pak choi)	2	1600	x					x							x	x*	*Obligation: every 4th sample		
Kale	7	170	x					x							x	x*	*Obligation: every 4th sample		
Other leafy brassica	7	170	x					x							x	x*	*Obligation: every 4th sample		
d) Kohlrabi																			
Kohlrabi (Outdoor) without leaves	2	1600	x					x							x	x*	*Obligation: Analysis of Chlorate for origin Spain, Italy for each 3rd sample		
<i>Kohlrabi (Outdoor) without leaves (Spain, Italy)</i>	3	875	x					x							x	x*	*Obligation: Analysis of Chlorate for origin Spain, Italy for each 3rd sample		
Kohlrabi (Outdoor) with leaves	4	640	x					x							x	x*	*Obligation: Analysis of Chlorate for origin Spain, Italy for each 3rd sample		
<i>Kohlrabi (Outdoor) with leaves (Spain, Italy)</i>	4	640	x					x							x	x*	*Obligation: Analysis of Chlorate for origin Spain, Italy for each 3rd sample		
Kohlrabi (Greenhouse) without leaves	2	1600	x					x							x				
<i>Kohlrabi (Greenhouse) with leaves</i>	4	640	x					x							x				
v) Leaf vegetables and fresh herbs																			
a) Lettuce and other salad plants including Brassicaceae																			

The changes as of 01.01.2026 are shown in red compared to the QS control plan 01.01.2025

Product	Risk group ¹	Wholesale/Preparation and Processing: one sample per ...t QS purchased produce ⁴	Multimethods												Additional analysis			
			Dithiocarbamates origin third country	Nitrate	Chloromequat / Mepiquat	Dithianon	Etephon	Phenoxyalkane carboxylic acids (alkaline hydrolysis)	Single method only required for positive findings from the multimethod	Matrine (Single method only required for positive findings from the multimethod) ³	Fenbutatin oxide	QAV	Morpholine	Phophonic acid	Sulphur dioxide (SO ₂)	Heavy metals (Cadmium, Lead, Copper)	Nickel: from 01.07.2025: every 10th sample (always the first and every tenth subsequent sample), using heavy metal testing method	Glyphosate
Lamb's lettuce (Outdoor)	3	875	x	o	o	o				x					x			
Lamb's lettuce (Greenhouse)	5	480	x	o	o	o				x					x			
Head lettuce (Outdoor)	1	2500	x	x	x					x					x			
<i>Head lettuce (Outdoor) (Italy)</i>	<i>2</i>	<i>1600</i>																
Head lettuce (Greenhouse)	2	1600	x	x	x					x					x		x**	**Obligation: every 4th sample
<i>Head lettuce (Greenhouse) (Belgium)</i>	<i>3</i>	<i>875</i>	<i>x</i>	<i>x</i>	<i>x</i>					x					x		x**	**Obligation: every 4th sample
Iceberg lettuce (Outdoor)	1	2500	x	o	x					x					x			
Coloured lettuce (Lollo, Leaf-oak, Batavia) (Outdoor)	4	640	x	x	x					x					x			
Coloured lettuce (Lollo, Leaf-oak, Batavia) (Germany, Spain, Netherlands)	3	875	x	x	x					x					x			
Coloured lettuce (Lollo, Leaf-oak, Batavia) (Greenhouse)	3	875	x	x	x					x					x		x**	**Obligation: every 4th sample
<i>Coloured lettuce (Lollo, Leaf-oak, Batavia) (Greenhouse) (Netherlands)</i>	<i>3</i>	<i>875</i>	<i>*</i>	<i>*</i>	<i>*</i>					*					*		x**	**Obligation: every 4th sample
Romaine lettuce (Outdoor)	1	2500	x	x	x					x					x			
Escarole/broad-leaf endive (wild chicory, red-leaved chicory, radicchio, curly leave endive, sugar loaf)	3	875	x	x						x					x			
Land cress	1	2500	x							x					x			
Rocket, Rucola	5	480	x		x					x					x			
<i>Rocket, Rucola (Italy)</i>	<i>7</i>	<i>470</i>	<i>*</i>		<i>*</i>					*					*			
Mizuna (Leaves and sprouts of Brassica spp)	5	480	x							x					x			
Other lettuce and other salad plants including Brassicaceae	5	480	x		x					x					x			
b) Spinach and similar leaves																		
Spinach	6	340	x	x	x					x				o	x			
Spinach (Industrial production)	1	2500	x	x	x					x				o	x			
Purslane (Winter purslane (miner's lettuce))	7	170	x							x				x				
Chard	2	1600	x							x				x				
Turnip greens	2	1600	x							x				x				
Other spinach and similar leaves	7	170	x							x				x				
c) Baby leaf																		
Baby Leaf	4	640	x	x*						x				o	x			*Obligation: if not contain brassicaceae
d) Vine leaves (grape leaves)																		
Vine leaves	9	45	x	x						x				x*	x			*Obligation: for each 3rd sample
e) Water cress																		
Water cress (Water convolvulus, Water clovers, Water mimosas)	1	2500	x							x				x*	x			
<i>Water cress (Water convolvulus, Water clovers, Water mimosas) (Third Countries)</i>	<i>7</i>	<i>470</i>	<i>*</i>							*				*	*			*Obligation: for each 3rd sample
f) Witloof																		
Witloof	2	1600	x							x				x				
g) Fresh herbs and edible flowers⁽⁴⁾																		
Pot herbs																		
⁽⁴⁾ for entire g) fresh herbs (Italy, Third Countries)	9	45	x							x				x				
Chervil	4	640	x							x				x				
Chives	4	640	x							x				x				
Dill leaves	4	640	x							x				x				
Celery leaves; Sorrel	4	640	x							x				x				
Coriander leaves	4	640	x							x				x				
Lovage	4	640	x							x				x				
Parsley	4	640	x							x				x				
Sage	6	340	x							x				x				
Rosemary	6	340	x							x				x				
Thyme	6	340	x							x				x				
Basil	4	640	x							x				x				
Mint	4	640	x							x				x				
Tarragon (Hyssop)	6	340	x							x				x				
Wild garlic	4	640	x							x				x				
Caraway	4	640	x							x				x				
Bay leaves	6	340	x							x				x				
Marioram	4	640	x							x				x				
Oregano	6	340	x							x				x				
Savory	4	640	x							x				x				
Common balm; Lemon balm	4	640	x							x				x				

The changes as of 01.01.2026 are shown in red compared to the QS control plan 01.01.2025

Product	Risk group ¹	Wholesale/Preparation and Processing: one sample per ...t QS purchased produce ⁴	Multimethods										Additional analysis					
			Dithiocarbamates origin third country	Nitrate	Chloromequat / Mepiquat	Dithianon	Etephon	Phenoxyalkane carboxylic acids (alkaline hydrolysis)	Single method only required for positive findings from the multimethod	Matrike (Single method only required for positive findings from the multimethod) ³	Fenbutatin oxide	QAV	Morpholine	Phophonic acid	Sulphur dioxide (SO ₂)	Heavy metals (Cadmium, Lead, Copper)	Nickel: from 01.07.2025; every 10th sample (always the first and every tenth subsequent sample), using heavy metal testing method	Glyphosate
Edible flowers	4	640	x							x								
Other fresh herbs and edible flowers	6	340	x							x								
Cut herbs																		
(⁴) for entire g) fresh herbs	9	45	x	x						x								
Chervil	7	170	x	x						x								
Chives	7	170	x	x						x								
Dill leaves	7	170	x	x						x								
Celery leaves; Sorrel	7	170	x	x						x								
Coriander leaves	7	170	x	x						x								
Lovage	7	170	x	x						x								
Parsley	8	90	x	x						x								
Sage	8	90	x	x						x								
Rosemary	8	90	x	x						x								
Thyme	8	90	x	x						x								
Basil	7	170	x	x						x								
Mint	7	170	x	x						x								
Tarragon (Hyssop)	7	170	x	x						x								
Wild garlic	7	170	x							x								
Caraway	7	170	x	x						x								
Bay leaves	8	90	x	x						x								
Marjoram	7	170	x	x						x								
Oregano	8	90	x	x						x								
Savory	7	170	x	x						x								
Common balm; Lemon balm	7	170	x	x						x								
Edible flowers	7	170	x	x						x								
Other fresh herbs and edible flowers	8	90	x	x						x								
vi) Legume vegetables (fresh)																		
Beans (with pods)	3	875	x							x	x*		x			*Obligation: for each 3rd sample		
Beans (with pods) (Third Countries)	7	170	x							x	x		x					
Beans (without pods)	2	1600	x							x	x*		x			*Obligation: for each 3rd sample		
Beans (without pods) (Third Countries)	4	640	x							x	x*		x					
Peas (with pods), (Mangetout (sugar peas))	3	875	x							x	x*		x			*Obligation: for each 3rd sample		
Peas (with pods), (Mangetout (sugar peas)) (Third Countries)	7	170	x							x	x*		x			*Obligation: for each 3rd sample		
Peas (without pods)	2	1600	x							x	x*		x			*Obligation: for each 3rd sample		
Peas (without pods) (Third Countries)	4	640	x							x	x*		x			*Obligation: for each 3rd sample		
Other legume vegetables (fresh)	7	170	x							x	x*		x			*Obligation: for each 3rd sample		
vii) Stem vegetables (fresh)																		
Asparagus white	1	2500	x							x	x*		x			*Obligation: for each 3rd sample		
Asparagus green	1	2500	x							x			x					
Celery	6	340	x							x	x*		x			*Obligation: for each 3rd sample		
Fennel	2	1600	x							x	x*		x			*Obligation: for each 3rd sample		
Globe artichoke	1	2500	x							x	x*		x			*Obligation: for each 3rd sample		
Leek	4	640	x							x			x*			*Obligation: testing for heavy metals in every 10th sample		
Rhubarb	1	2500	x							x	x*		***	x		*Obligation: for each 3rd sample		**Obligation: testing for heavy metals in every 10th sample

The changes as of 01.01.2026 are shown in red compared to the QS control plan 01.01.2025

Product	Risk group ¹	Wholesale/Preparation and Processing: one sample per ...t QS purchased produce ⁴	Multi methods												Additional analysis			
			Dithiocarbamates origin third country	Nitrate	Chloromequat / Mepiquat	Dithianon	Etephon	Phenoxyalkane carboxylic acids (alkaline hydrolysis)	Single method only required for positive findings from the multi-method	Matrine (Single method only required for positive findings from the multi-method) ³	Fenbutatin oxide	QAV	Morpholine	Phophonic acid	Sulphur dioxide (SO ₂)	Heavy metals (Cadmium, Lead, Copper)	Nickel: from 01.07.2025: every 10th sample (always the first and every tenth subsequent sample), using heavy metal testing method	Glyphosate
Bamboo shoots	1	2500	x	o					x		x*				x			
Glassworts	7	170	x						x		x*				x			
Other stem vegetables (fresh)	7	170	x						x		x*				x			
viii) Fungi																		
Cultivated fungi (common mushroom, oyster mushroom, shi-take)	1	2500	x			x			x		x*				x			
Wild fungi (morels, chanterelle)	6	340	x						x		x*		o**					
Other cultivated fungi	6	340	x						x									
3. PULSES, DRY																		
Beans	2	1600	x						x		x*			x	x			
Lentils	2	1600	x						x		x*			x	x			
Peas (chickpeas, chickling vetch)	1	2500	x						x		x*			x	x			
Other pulses, dry	2	1600	x						x		x*			x				
4. OTHER SPROUTS AND SHOOTS																		
Other sprouts and shoots	1	2500	x						x									
5. CEREALS AND GRAIN FRUITS																		
Pseudocereals (Amaranth, Buckwheat, Chia seeds, Quinoa)	9	45	x						x			o*	x	x	x			
Corn (sweet corn)	1	2500	x						x		x*							
Corn (popcorn corn)	1	2500	x						x		x*							

Legend:

x
*
o
in red letters
in strikethrough letters

Multi methods:

GC
LC-MS/MS

2,4-D
Group of selected pesticides determined by gas chromatography

Group of selected pesticides determined by LC-MS/MS

Herbicide from the group of phenoxyalkanecarboxylic acids

¹The risk grouping of the products is made by QS and is based on a scale from 1 (lowest risk) to 9 (highest risk).

²At least the first sample and afterwards every 4th sample needs to be taken after all process steps

³For positive detections of Matrine and Phenoxyalkane carboxylic acids by multi-method(s) a precise quantification of the active substance by a single method is required, if this is not ensured by the multi-methods.

⁴The first sample is required as soon as 10 percent or more of the tonnage defined in the control plan of a product has been purchased as QS produce within one year (approx. 12 months). If the product is purchased in smaller quantities as QS produce, no sampling is required.

For every n. sample = always request the first sample and every subsequent n. sample for the method.

Legend Risk groups - Tonnage

Risk groups	Tonnage calculation
1	2500
2	1600
3	875
4	640
5	480
6	340
7	170
8	90
9	45