

Qualitätssicherung. Vom Landwirt bis zur Ladentheke.



Database Instructions Master Data Coordinator Agriculture/Production (incl. Sub-Coordinator)





Version: 01.11.2019 Status: • Release





List of contents

1 M	aintenance of master data	3
2 Lo	ogin to the database	3
3 M	aster dataaster data	4
2.1	Forgot your password?	3
2.2	Change password	
3.1	Menu item bundles	5
3.2	Menu item coordinator	5
3.3	Menu item sub-coordinators	
3.4	Menu item allocation sub-coordinator to location	
3.5	Menu item number of locations per product scope (SPOTaudits)	9
3.6	Menu item bundled scheme participants	
3.7 3.7.1	Menu item Login data	
3.7.1 3.7.2	Add e-mail adressesSend Login data	
3.8.1	Register producers/locations via Excel Upload	
3.8	Menu item bundled locations	
3.8.2	Export data	
3.8.3	Selection of audit type	16
3.8.4	Registration for voluntary inspection of working and social conditions	
3.8.5 3.8.6	Add another production scope to a registered location	17
3.8.6	Change of Certification Scheme	1/
3.9	Menu item registration of bundled locations	10
3.9 3.10	Menu item GLOBALGAP-, AMA-GAP- or Vegaplan-tie bundle	
3.11	Edit GLOBAL G.A.P. Option 2/ Option 1 with QMS-bundle	
3.12	Menu item re-registration of a location	
3.13	Menu item corrective actions	
3.14	Menu item release results of social conditions	
3.15	Menu item search social conditions	
3.16	Menu item search for locations	26
3.17	Menu item notes	26

Explanation of symbols/buttons in the database

New Refresh

Bdit Save

Close Delete

Note: Please note that you should not use the "back"-button of your browser. Please note as well that you should not click on a button before a page was fully loaded. The website's loading status is displayed by your browser.

Note: If you need a placeholder, please enter a percent sign (%) (e.g. when filtering by name, location number, etc.)





1 Maintenance of master data

As a coordinator you can:


- Register and de-register location (see menu item 3.8-3.10)
- Set up sub-coordinators (see menu item 3.3)
- Conduct residue and feed monitoring (see residue or feed monitoring instructions, respectively)

Coordinator/ **Sub-coordinator** (3.3)

Database

Login to the database

https://www.q-s.de/softwareplattform/en/



Enter user name (user-ID) and password

- Enter user name (user-ID)
- Enter password
- Click > Login

user name (user-ID)

password

2.1 Forgot your password?

forgot password

Enter user name (user-ID)

A new password will be sent via email to the email-address given for the coordinator's legal representative.

Forgot password?

Video: Forgot Password?

Note: Click Video: Forgot Password? to see a Video-Tutorial with this practice.

Click Forgot password?





2.2 Change password

For reasons of safety you should immediately change the password assigned to you. It should be changed regularly afterwards.


Click change password

Click "change passy	vord"		
aster Data Feed Monitoring Resid Change password	ue Monitoring Fruit, Vegetables, Potatoes Change password Log out	Change password	Enter old passwor
User-ID	4048473178426	OK	Enter new password
Old password			Repeat new
New password		Cancel	password
Retype password			
Retry	0		

3 Master data Master data

Menu Master Data

Repeat new password



Version: 01.11.2019 Status: • Release Page 4 of 26






Bundles

3.1 Menu item bundles

Overview over bundles



3.2 Menu item coordinator

Coordinator

Tab Coordinator

- Current business address of the coordinator
- Changes must be authorized by QS
- Please enter all data completely and correctly since the data will be used for official documents and certificates



Tab Contact Person

Contact Person/ user

The coordinator's contact persons (users) are displayed and maintained here.



Version: 01.11.2019 Status: • Release Page 5 of 26








Create a new user

Click 🚺



Create a new contact Person/user



Fill in

Choose type of contact



Enter contact data



- Click vunder type of contact to set up a new user, for example:
 - Contact person of agricultural coordinator
 - Crisis manager
 - Sub-coordinator, if necessary (also possible via menu item sub-coordinator)
 - Feed administrator of coordinator (when relevant companies are bundled, only)
- Enter the user's contact data completely and correctly
- Save with 🎷
- Close with 🗶

Tab Bundles (see 3.1 menu item Bundles)


Tab Locations Locations

You can find all data regarding your own coordinator's location here.



Detailed view of the coordinator's location

Click (n) to open a detailed view of the coordinator's location



Detailed view







Location

■ The coordinator's location data are displayed and maintained here.

Audit reports

Audit reports entered for a coordinator's location can be seen here.

Identification numbers

Internal numbers of the coordinator's location can be entered here (optional).

Location blockage

■ Blockages regarding a coordinator's location are seen here with reasons and terms.

Company

Information of the company are displayed here.

Files

Files can be uploaded here (JPG, TIFF, PNG, BMP and PDF files).

Users

- The users of the coordinator's location are displayed and maintained here:
 - Crisis manager
 - Contact person/assistant contact of coordinator

Button deregister/register location

Deregister location

The coordinator's location can be deregistered or registered again here.

Tab identification number

■ Internal numbers of a coordinator's location can be entered here (optional).

Identification number

3.3 Menu item sub-coordinators

Sub-coordinators

As a coordinator you can create and maintain so called sub-coordinators here. However, the **coordinator** is the **contractor** with QS.

Sub-coordinators receive their own database access and can

- maintain the master data for
 - the new locations assigned by the coordinator
 - the new locations registered by themselves
- if applicable implement the feed and/or residue monitoring

Version: 01.11.2019 Status: • Release Page 7 of 26







Create a sub-

coordinator

Save

Edit subcoordinators

Create, edit or delete a sub-coordinator





- Contact data of a sub-coordinator must be entered completely and correctly
 - Tick the check box "send short report" if the sub-coordinator is to receive a report of the independent inspection of the locations allocated to him
 - Tick the check boxes "Access feed montoring" and/or "Access residue monitoring" if the sub-coordinator is to receive authorization for the implementation of residue and feed monitoring in addition to the processing of the master data of the allocated businesses
- Save with
- Close with X
- Click to open a **detailed view of the sub-coordinators**; you can make alterations here




Click i to delete sub-coordinators

Delete subcoordinators



3.4 Menu item allocation sub-coordinator to location



Allocate subcoordinator to location

Select subcoordinator


Next>





Before clicking narrow your search results if necessary by using filtering options, for example production scope(s)

Filtering search



■ To select locations, tick the check box in front of each location

Note: Please note that a location cannot be allocated to several sub-coordinators simultaneously. If locations that have already been allocated to a sub-coordinator are subsequently allocated to another sub-coordinator as described above, the allocation to the first sub-coordinator is removed automatically

Click Save

Close with

Save

3.5 Menu item number of locations per product scope (SPOTaudits)

(only for locations with livestock)

Here, the number of locations per product scope, for which an additional unannounced spot audit has to be implemented, is indicated (if applicable).

3.6 Menu item bundled scheme participants

The scheme participants bundled by you are displayed here. For every company in the QS-system there is a

- Scheme participant data record (company)
- With a (possibly identical) location data record (business premises).

Number of locations per product scope (SPOTaudits)

Bundled scheme participants

Version: 01.11.2019 Status: • Release Page 9 of 26





Before clicking narrow your search results if necessary by using filtering options.




Filtering search

Scheme participants			
Number of selected Records: 40			
Search criteria			
Name			
QS-ID			
Stage			•
Street			
Postal Code			
City			
Country			F. 🖘
Scheme participants			
	Name	.QS-ID	
☐ 》 Test6		4048473374491	Landwirtschaft

Detailed data record scheme participants (companies)

Click 📝 to open a detailed view of the scheme participant (company)



Scheme participant

The company's master data are displayed and maintained here.

Contact person

- The contact persons of the business (company) are displayed and maintained here, for example:
 - Contact person of scheme participant
 - Legal representative of scheme participant
 - Crisis manager

Identification number

Click

Next>

Internal numbers for the company can be entered here (optional).

Locations

The company	's locations	are	displayed	and	maintained	here.

Edit location (see 3.8 Menu item bundled locations)

If an additional location for the co	ompany is to be registered, click	
Certification scheme	QS	€
 Click		

Detailed data



Register an additional location for a company



Choose certification scheme


Next>





Note: Certification scheme=GLOBALGAP → enter GGN of the company.

Please note that the bundles must not be mixed. Therefore, only companies with Option 2 (or Option 1 Multisite with QMS, if the certificate holder corresponds to this certification system) can be registered



Tab Sampling request (only for residue monitoring)

Details on sampling requests, e.g. sampling terms, can be found here.

3.7 Menu item Login data

Here you can send login data to coordinated farmers/producers.

In following screen, please select the default option: no access data



Select no access

Login data

 Clicking : show all the farmers/producers who have not received any access data yet

Refresh

There are two possibilities to send the login data:

As e-mail (Button: Send per email)

The e-mail will be sent in the language chosen by the company manager

As letter (Button: PDF)


The PDFs are generated in two languages (German/English)





3.7.1 Add e-mail adresses

For sending by e-mail, you store a valid e-mail address with the legal representative of the bundled company. You can use the export/upload function (Excel) to do this easily for bundled scheme participants.



to creat a **letter** in english or

Version: 01.11.2019 Status: • Release Page 12 of 26

PDF (englisch)

to create a letter in german

Click



Qualitätssicherung. Vom Landwirt bis zur Ladentheke.



■ The farmer/producer receives the login data via e-mail or letter

TEST Bündler QS (Peschina und andere), Adenaueralle 113, 53113 Bonn

Test7 z.Hd. Mr. bjkdw nsjk blaweg 4 53113 Bonn

Bonn, 11.09.2019

Access to your stored data in the QS scheme

Dear Mr. nsjk,

In order for you to be able to view and check your own data in the future, we have created the possibility for you to view your data...

Via the internet address https://www.q-s.de/softwareplattform you can dial into the software platform with the help of your username and password.

Please note the upper and lower case of the password!

User-ID: 4048473178471 Password: k47xZ404l!Bj!5AH

The password is valid until 11.03.2020.

Note:

When logging in for the first time, you will be prompted to re-assign a password yourself.

Sincerely, Prof. Dr. Gottlieb Schlichtkrul-Weidenpesch

TEST Bündler QS (Peschina und andere) Adenaueralle 113 53113 Bonn

- The farmer/producer can access the data base with the new login data https://www.q-s.de/softwareplattform/en/
 - When the first log-in takes place, the farmer/producer muss define a new password

Change password		Define new password
User-ID	4048473178471	OK
Old password		
New password		Cancel
Retype password		
Retry	0	

Version: 01.11.2019 Status: • Release Page 13 of 26





Afterwards the farmer/producer has access to his/her data.



Master Data Residue Monitoring Fruit, Vegetables, Potatoes Change password Log out

Password was changed

- New access data must be sent if the farmer/producer changes the coordinator and if the producer is de-registered and then registered again by the same coordinator. In these cases, the previous data will not be valid anymore.
- The password is valid for 6 months. If the farmer / producer has not used it during this time, the coordinator must generate a new password.
- Interface: Further information regarding the distribution of the login data using the interface can be found in our website at https://www.q-s.de/gs-scheme/interfaces- facilitate-data-transfer.html

3.8 Menu item bundled locations

Bundled locations

Locations bundled by you can be found here.

Before clicking on arrow your search results if necessary by using filtering options, e.g. productions scope(s), location numbers, name



Set filter with % as place holder, e.g. in:

Overview of bundled locations (with filter options)

3.8.1 Register producers/locations via Excel Upload

If you want to register or change many producers/locations in the database, the registration can be done via an Excel upload.

Create locations Click Locations > Create locations File Datei auswählen Keine ausgewählt Click Datei auswählen to select the file

Upload

Register

Upload


producers/ locations via Excel

Create locations

Upload with 📥









Note: A detailed description and an Excel template (.csv-Template Upload New Registrations) can be found on our supporting area:

https://www.q-s.de/qs-scheme/database-instructions.html

3.8.2 Export data **Export data** You can export and process data in excel format. In order to export all locations, you must not click perforehand. Export BSI Before clicking Exp. incl. add. info Export Export narrow your search results if necessary by using filtering Export THI options. Exp. incl. add. info Export BSI 276001000000000 Test neu Export THI Export Exp. incl. add. info Export BSI Export THI **Detailed view Detailed view of** bundled locations Click to open a detailed view of the location 15.04.2017 00:00 Tab

Location

The location data of bundled companies are displayed and maintained here.

Location information (only for locations with fruit, vegetables, potatoes)

Certified crops and the size of area they raised can be found here.

Bundle

Main information about the bundle are displayed here.

Audit reports

Audit reports entered for the location can be viewed here.

Identification number

A location's internal numbers can be entered here (optional).

Users

- A location's (premise) users are displayed and maintained here:
 - Crisis managers

Version: 01.11.2019 Status: • Release Page 15 of 26





- Contact person of location
- Deputy of the location's contact person

Location blockages

Blockages of location are shown here with constraint, cut-off date and information.

Company

The allocation of the location (premise) to the company (scheme participant) can be viewed here.

Sampling request (only for residue monitoring)

All information regarding sampling requests, i.e. sampling term, can be found here.

Files

- Files can be uploaded here (JPG, TIFF, PNG, BMP and PDF files).
- Save 👢
- Close 🗶

3.8.3 Selection of audit type (only for locations with livestock)

Audit type (livestock)

Tab Location

•unannounced reg. au	ıdits Oadd. unannoun	ced spotaudits
----------------------	----------------------	----------------

To select or change the audit type, select audit type and save with for details, see "Short Database Instructions Selection of type of unannounced audits")

3.8.4 Registration for voluntary inspection of working and social conditions (only for locations with fruit, vegetables, potatoes)

Tab Location

inspection of working and social conditions (fruit, vegetables, potatoes)

Social cond. requested

Register one location

Voluntary

Click social cond. requested or Family business

Register several

If you want to register several locations for voluntary inspection of working and social conditions:

Familiy business

locations

N / · ·	:	bundled	l L:
MEDII	ITAM	niinaiea	incations

Download locations in Excel

Set x in the column social conditions of the Excel file

Export

ot	Social cond.	Date las
	x	<u> </u>
		20.04.20

7



Qualitätssicherung. Vom Landwirt bis zur Ladentheke.



- Save as .xls
- Import into the database by using Import (audit type/social cond.)

Import (audit type/social cond.)

Note: For family businesses, an upload is not possible. They need to be marked individually.

3.8.5 Add another production scope to a registered location

Tab Company

0

(B)

Add another production scope

Tab Company

Location	Identification number	Audit reports	Location blockages	Users	Company	Files
Lo	cations					
	Location		Production scope		Scheme	participant
(B) 2	76000000000009		1002	404	8473800747	

Open location



Tab Locations

Scheme participant Contact person Identification number Locations Sampling requests

Tab Location



4048473800747

4048473800747

4048473800747


Add location with O

1111122222333333

2760000000000009

276000000000010

Locations



1004

1002

2008

Enter location number

Enter production scope

- Enter location number of the location to which a production scope shall be added
- Enter production scope

Save 🚩



3.8.6 Change of certification scheme

Note: A change of the certification scheme is not possible, if there is a certificate extension or an open K.O. at the location.

Change of certification scheme

Change from QS to a recognized standard

Click Edit certification scheme


Change from QS to a recognized standard

Edit certification scheme











location data set



The new certification scheme and the certificate runtime are displayed

Change from a recognized standard to QS



- Display certification scheme
- Choose certification scheme (QS or QS-GAP)
- Display certification body
- Choose certification body




Change from a recognized standard to QS/QS **GAP**

Edit certification scheme







Note: The QS certification body can now access the location data has to enter and release an audit for the location within eight weeks. During this time, the location retains its eligibility to deliver (unless the certificate run-time of the previous certification scheme ends earlier). If no audit is released with in the eight weeks, the previous state is restored.

Registration of bundled locations

3.9 Menu item registration of bundled locations

You can register a new location here in three steps.

Step 1: Entry of the company data

Entry of the company data

Entry of the company data



- Please enter company data completely and correctly since they are used for official documents and certificates.
 - Field QS-ID (QS-Identification number): Do not enter anything here, the system will allocate a QS-ID



Note: In order to register an GLOBALGAP Option 1 Multisite with QMS or Option 2 certified producer group that wants to participate in the QS scheme, the **certificate holder** has to be registered as regular scheme participant. In addition, the **first**






Entry of the legal agent data

Next>

producer/ location has to be registered. Accordingly enter company data of the certificate holder at step 1.

Step 2: Entry of the legal agent data

Entry of the legal agent data




- Please enter legal agent data completely and correctly since they are used for official documents and certificates.
- Contact data: telephone number and email address are mandatory
- Click Next>

Note: E-Mail address must be different to coordinator's email address.


Note: GLOBALGAP: enter data of the legal agent of the certificate holder at step 2.

Intermediate step only for recognized standards: choose certification scheme

Choose certification scheme



Choose certification scheme



Choose certification scheme

- Preselected: QS
- If locations are certified to a standard recognized by QS, you have to change the certification scheme: click the file symbol, choose certification scheme, enter certification number and validity period of the certificate if required.
- Click Next>





Step 4: Entry of location data

Enter the company's location data, choose productions scope and certification body

Enter the company's location data

new registration: step 4 from 4 - entry lo	ocation data				X
< Back			Continue with	Save data	Next>
Location nun	nber		Location data correspon	nds to company's data	
Name (*)					
Location number]		
Street (*)					— Duodustion coops
Postal Code (*)		City (*)			Production scope
Post-office box		Country (*)	Deutschland		a
Post-office box postal code		Federal state (*)	-		
Location Plan					
Production scope (**)	(450) preparation				
Cerfication body (*)	-				
		_			Certification body

alternatively: click "location data corresponds to company data"

Choose production scope

Choose certification body

- Please enter location data completely and correctly
- If the location data match the comany data, click "location data match company data"
- Choos Choose certification body: click
- Enter **location number or** leave field blank (depending on product sope):

iocation data match the comany data, click	location data materi company
se production scope: click 📹	
and the state of t	

Product scope	QS-location number
 Cattle farming Pig farming Poultry farming Livestock transport Crop farming¹, grassland use, forage production 	The company's VVVO-number (or a unique company number, i.e. for agriculture or for foreign companies) must be entered into the box "location number" mandatorily
Fruit, vegetable, potatoe production	Leave box "location number" free, number will be generated automatically and can later be changed from the seventh position onwards

Unique company number must be entered or is generated

Next>

Note: GLOBALGAP: enter location data of the company at step 4.

Next> Click

Location is registered

To de-register a location, call up the location via "bundeled locations", open detailed Deregister location (top right).

De-register location Deregister location

Version: 01.11.2019 Status: • Release Page 21 of 26

¹ Note: If you want the QS-audit to be recognized by an external scheme owner with whom there is a recognition agreement (only then will this option show up), click this. (Note: ONLY FOR RECOGNIZED STANDARDS: the "ZZZ-certification body" of your certification scheme is already pre-selected under "certification body")






3.10 Menu item GLOBALGAP-, AMA-GAP- or Vegaplan-tie bundle

(applies only to producers with GLOPALGAP, AMA-GAP- or Vegaplan- certificate who want to deliver into the QS-scheme)

GLOBALGAP/ AMA-GAP-/ Vegaplantie bundle

If you as a coordinator supervise GLOPALGAP/ AMA-GAP- or Vegaplan- companies which you would like to register for the QS-scheme, please proceed as follows:

Choose location




Choose GLOBALGAP/ AMA-GAP/ Vegaplan location

To choose, tick checkbox in front of location.

Click Next>

Next>

Enter bundle data



Enter name of bundle click Next>

Name of bundle

Next>

Bundle is created

Inform QS since the authorization is always conducted by QS

Version: 01.11.2019 Status: • Release Page 22 of 26





3.11 Edit GLOBAL G.A.P. Option2/ Option 1 with QMS-bundle

Click 🎪

Edit GLOBAL G.A.P Option2/ Option 1 with QMS-bundle

Record of Act operations and Act of productions and Act of productio						_
Select schem participant Select certificate holder/ scheme participant Click Next Fredering states and selection and selectio		elect certificate holder			· · · · · · · · · · · · · · · · · · ·	3
Select schem participant Select certificate holder/ scheme participant Click Next Select location Select location Click Next Select location Click Select location Cl					Next>]!
Select schem participant Select certificate holder/ scheme participant Click Next> Select scheme participant Select certificate holder/ scheme participant Click Next> Select scheme participant Select scheme sc	Search criteria			Sorting		
Select scheme participant Select certificate holder/ scheme participant Select certificate holder/ scheme participant Select certificate holder/ scheme participant Select scheme sch					▼	
Select scheme participant Select certificate holder/ scheme participant Select certificate holder/ scheme participant Select certificate holder/ scheme participant Next Next Select scheme participant Select scheme participant Next Select scheme participant Select scheme participant Next Select scheme participant Click Next Next Enter GGN of the certificate holder/ scheme participant, Certificate run-time GGN certificate noted (*) Certificate run-time (*) Certification body (*) Enter certification formation	QS-ID					
Select schem participant Select certificate holder/ scheme participant Click Next Next Select scheme participant Select certificate holder/ scheme participant Click Next Next Sering	Street					
Select schem participant Select certificate holder/ scheme participant Next Next Next Select schem participant Next Next Select schem participant Select certificate holder/ scheme participant Select location Select scheme participant Next Next Select scheme participant Select scheme participant Next Select scheme participant Select scheme partici						
Select scheme participant Select certificate holder/ scheme participant Click Next Clock of An Agreed Green was also stored to the certificate holder/ scheme participant Select location Select location Click Next Select location Click Next Select location Click Next Enter GGN of the certificate holder/ scheme participant, Certificate run-time GGN certificate holder (*) Certificate run-time Click Select location of the certificate holder (*) Certificate run-time Click Select location body (*) Enter certification body (*) Enter certification body (*) Enter certification body (*)				B 0		
Select schemp participant Select certificate holder/ scheme participant Select certificate holder/ scheme participant Select certificate holder/ scheme participant Next Next Next Next Select schemp participant Select schemp participant Select schemp participant Next Next Next Select schemp participant Select schemp participant Next Select schemp participant Select schemp participant Next Select schemp participant Next Select schemp participant Select schem	•	•				
Select certificate holder/ scheme participant Select certificate holder/ scheme participant Click Next> React or orient React Cools React orient React Cools React Cool		Name			QS-ID	Calast askama
Select certificate holder/ scheme participant Next Next Next Next Next Next Next Next Next Soring Finded Color Select location Select location Click Next Enter GGN of the certificate holder/ scheme participant, Certificate run-time GGN certificate holder (*) Certificate run-time Click Select location body (*) Click Select location body (*) Enter certification body (*) Click Select location body (*)					_	
Click Next> Next	juic test option 2			455715714255		participant
Click Next> Next						
Click Next> Next	Select certificate I	holder/ scheme	participant 🔊			
According to the control of the certificate holder (**) Certificate run-time (**) Certificate run-time (**) Certification body (**) Choose a certification body (**)						Next>
Select location Select location Click Next> Enter GGN of the certificate holder/ scheme participant, Certificate run-time GGN certificate nu-time (*) Crick GGN	CITCK					
Serving Serving Serving Serving Serving Production scopes Select location Select location Click Next> Enter GGN of the certificate holder/ scheme participant, Certificate run-time SGN certificate run-time (*) Crick Click Consoner run-time (*) Crick		elect locations				_
Service criteries Service Servi					Next>	\
Next Location body (**) Select location Select location Click Next Scheeue (**) Certificate run-time (**) Click Choose a certification body (**) Choose a certification body (**)					1	
Select location Click Next> Enter GGN of the certificate holder (*) Certificate run-time (*) Click Choose a certification body (*) Enter GGN of certification body (*) Enter Certification body (*)	Search criteria			Sorting		
Production scopes Production scopes Production scopes				-	٧	
Production scopes Column Production scopes Production scope Production s						
Production scopes Locations Select Iocation Select Iocation Click Next> Enter GGN of the certificate holder/ scheme participant, Certificate run-time GRN certificate holder (*) certificate run-time (*) Click Choose a certification body (*) Click Choose a certification body (*)				=		
Select location Click Next Enter GGN of the certificate holder (*) certificate run-time (*) Click Choose a certification body (*) Enter Certification body (*)	Postal Code	Oily		Production scopes		
Select location Click Next> Enter GGN of the certificate holder (*) Certificate run-time (*) Certificate run-time (*) Click © Click © Conose a certification body (*) Click © Choose a certification body (*)	Production scope	-				
Select location Click Next> Enter GGN of the certificate holder (*) Certificate run-time (*) Certificate run-time (*) Click © Click © Cohoose a certification body (*) Click © Choose a certification body (*)						
Select location Select location Click Next> Enter GGN of the certificate holder/ scheme participant, Certificate run-time GGN certificate holder (*) Certificate run-time (*) Click 17.12.2018 Enter certification body (*) Click 17.12.2018 Enter certification body (*)	Locations				Zertifizierungsstelle wechseln	
Select location Click Next> Enter GGN of the certificate holder/ scheme participant, Certificate run-time GGN certificate holder (*) Certificate run-time (*) Certificate run-time (*) Certification body (*) Choose a certification body		ame Street	Postal Code City	Registered Production scope	Inspected production scope Approved product	
Click Next> Enter GGN of the certificate holder/ scheme participant, Certificate run-time GGN certificate holder (*) Certificate run-time (*) Certification body (*) Click Choose a certification body	OGK290100004217 testtesttest1	Schedestr. 5	50389 Bonn	X (outdoor)		
Click Next> Enter GGN of the certificate holder/ scheme participant, Certificate run-time GGN certificate holder (*) Certificate run-time (*) Certification body (*) Click Choose a certification body						
Click Next> Enter GGN of the certificate holder/ scheme participant, Certificate run-time GGN certificate holder (*) Certificate run-time (*) Certification body (*) Click Choose a certification body	_					Select location
Click Next> Enter GGN of the certificate holder/ scheme participant, Certificate run-time GGN certificate holder (*) Fertificate run-time (*) Fertification body (*) Click Choose a certification body Enter certification body Enter certification body	Select location					Select location
Enter GGN of the certificate holder/ scheme participant, Certificate run-time GGN certificate holder (*) Intertificate run-time (*) Intertification body (*) Click Choose a certification body Enter certification body Enter certification body	Sciece location					
Enter GGN of the certificate holder/ scheme participant, Certificate run-time GGN certificate holder (*) Intertificate run-time (*) Intertification body (*) Click Choose a certification body Enter certification body Enter certification body						
ertificate holder (*) ertificate run-time (*) ertification body (*) Click Choose a certification body	Click Next>					Next>
GRN certificate holder (*) Pertificate run-time (*) Pertification body (*) Click Choose a certification body The properties of the pro						
SGN certificate holder (*) Sertificate run-time (*) Sertification body (*) Click Choose a certification body Enter certification information	Factor CON of the		/	i di		
rertificate run-time (*) Interceptification body (*) Click Choose a certification body	Enter GGN of the	certificate noid	er/ scneme part	icipant, Certificate i	un-time	
Certificate run-time (*) Certification body (*) Click Choose a certification body						
Click Choose a certification body	GN certificate holder (*)					
Click Choose a certification body						
Click Choose a certification body	ertificate run-time (*)		17.12.2018			
Click Choose a certification body >	Certification body (*)		_		-	Enter certificate
Click Choose a certification body	pertinication body ()		•		_	
Choose a certification body						mormation
	Choose a certifica	tion hody				
The state of the s	CHOOSE a CELLING	don body 🗸				
All I March						
Click Next in order to apply for releasing the bundle Next	Click Next>	in orde	er to apply for re	eleasing the bundle		Next>
			,	2		

QS will be automatically informed about the new bundle. As soon as the bundle is released, the locations are eligible to deliver into the QS scheme.

Every bundle only hast to be initially released. Locations/producers that are later assigned to a released bundle are immediately eligible to deliver.

Release oft he bundle






3.12 Menu item re-registration of a location


Re-registration of de-registered locations

Locations which have been bundled by you or another coordinator before must not be registered anew but must be re-registered. Locations which have been de-registered can be re-registered here.

Re-registration of de-registered locations



- Enter location number of de-registered company
- Choose production scope of the de-registered company (Note: (450) Preperation is preselected)



Company is registered and can be called up under "bundled locations"





3.13 Menu item corrective actions

An overview of all nonconformities and all corrective actions that were agreed upon during the audits of your bundled locations can be viewed here.



Corrective actions

Overview corrective actions				Set filter with % Filter can be set in:							
Nonconformities										ΦX	
Number of selected Search criteria	d Records: 8					Nam	e, loca	tion nur	nber, p	ost code	
Term to be searched							Status				
_ocation number							-			▼	Narrow the sear
Name of location										_	(use filter)
QS-ID											(use inter)
							Production scop	oe .			
							-			▼	
Audit date from from			▼ Audit de	ate from to		-				_	
Adjustment term from			▼ Adjustm	nent term to		-					
Deviation corrected or	n from		▼ Deviatio	n corrected on to		•				w	
Cerfication body	-					▼					Defined
											Refresh
Nonconformities											<i>*</i>
Number			Audit date from	Adjustment te	Deviation corr	Production scope	Location number		ly Auditor	QS-ID	
von Korr	echte und wirksame Umsetzung rekturmaßnahmen	C	12.12.2009	01.01.2010	10.01.2012	4013	OGK290100000000	QS Qualität und Sicherheit GmbH	Paul	4048473178	
3.2.3 Dokumen Mischpro	ntation Rationsberechnungen, otokolle	С	12.12.2009	01.01.2010	not corrected	2001	276124578462514	QS Qualität und Sicherheit GmbH	Paul	2761245784	
	ng der QS-	С	12.12.2009	01.01.2010	not corrected	2001	276124578462514	QS Qualität und	Paul	2761245784	
3.4.4 Hygienea	Schwein: Überwachung und	С	12.12.2009	19.12.2009	not corrected	2001	276124578462514	Sicherheit GmbH QS Qualität und	Paul	2761245784	
3.6.5.1 Hygienes Rind und Pflege de Anforder	f Schwein: Überwachung und er Tiere rungen an die Verwendung von	•						QS Qualität und Sicherheit GmbH QS Qualität und		2761245784	
3.6.5.1 Hygienes 3.6.5.1 Rind und Pflege de 4.5.5 Anforder Sekundä	Schwein: Überwachung und er Tiere	•	12.12.2009 12.12.2009	19.12.2009 12.08.2012	not corrected 26.01.2012		276124578462514 OGK290100000000	QS Qualität und Sicherheit GmbH QS Qualität und Sicherheit GmbH	Paul Paul		
3.6.5.1 Hygienes 3.6.5.1 Rind und Pflege de 4.5.5 Anforder Sekundä Schlagbe 8.1. durchget	f Schwein: Überwachung und er Tiere rungen an die Verwendung von imährstoffdüngern ezogene Aufzelchnungen der führten	D				4013		QS Qualität und Sicherheit GmbH QS Qualität und		2761245784	
3.6.5.1 Hygienes 3.6.5.1 Rind und Pflege de 4.5.5 Anforder Sekundä Schlagbe 8.1. durchget	f Schwein: Überwachung und er Tiere rungen an die Verwendung von imährstoffdüngern ezogene Aufzeichnungen der führten ischutzmaßnahmen	D D	12.12.2009	12.08.2012	26.01.2012	4013 4013	OGK290100000000	QS Qualität und Sicherheit GmbH QS Qualität und Sicherheit GmbH QS Qualität und Sicherheit GmbH QS Qualität und	Paul	2761245784 404847317E	
3.6.5.1 Rind und Pflege de 4.5.5 Sekundä Schlapbe durchget Pflanzen 2.1.6 Use of Q	I Schwein: Überwachung und er Tiere rungen an die Verwendung von imährstoffdüngern zogene Aufzeichnungen der führten ischutzmaßnahmen IS label	D D	12.12.2009 07.04.2010	12.08.2012	26.01.2012 23.09.2010	4013 4013 2001	OGK290100000000 OGK290100000000	QS Qualität und Sicherheit GmbH QS Qualität und Sicherheit GmbH QS Qualität und Sicherheit GmbH	Paul Paul	2761245784 404847317£ 404847317£	

3.14 Menu item release results of social conditions

(only for locations with fruit, vegetables, potatoes)

Results of the voluntary inspection of working and social conditions can be released by the coordinators for inspection by other scheme participants after previous agreement by the producer.

- Click to search
- Click <
- Add a scheme participant to the favorites list



Release of the results social conditions



Select system partner for inspection









3.15 Menu item search social conditions

(only for locations with fruit, vegetables, potatoes)

Search social conditions

Here you can search by location numbers or QS-IDs (producers and others) or name / address (others) for locations which are registered for voluntary inspection of working and social conditions. You can also view the overall result of the inspection (% social cond.)

Note: A search for family businesses is not possible

Internal search for approv	ed locations							
Search criteria							Sorting	
Name							-	
QS-lds							No results	
Location numbers							No results	
GGN / Sub-GLN							No results	
Locations								
Free-rai Local	tion number	Name	Street	Postal Cc	City	Approved pr	oduction scope	

3.16 Menu item search for locations

Internal search for locations

Here you can search by a location number for one or several approved locations. The location's address, production scope and reasons for blocking, if applicable, will be displayed.



3.17 Menu item notes

Notes

In specific hazardous situations, i.e. during crises, blocked scheme participants can be displayed for you immediately upon log-in to the QS-database under the menu item "master data/notes" The notification is provided by QS within the system.

Version: 01.11.2019 Status: • Release Page 26 of 26